

A height-adjustable table that *grows with every grade.*

Round Table

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN24/ROUND/ADJ/RD	24 IN.	\$ 513	\$ 436	
UN30/ROUND/ADJ/RD	30 IN.	\$ 553	\$ 470	
UN36/ROUND/ADJ/RD	36 IN.	\$ 601	\$ 511	
UN42/ROUND/ADJ/RD	42 IN.	\$ 664	\$ 565	

SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



A height-adjustable table that *grows with every grade.*

Square Table

2 INCH RADIUS CORNERS

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN24/SQUARE/R2/ADJ/RD	24 IN.	\$ 513	\$ 436	
UN30/SQUARE/R2/ADJ/RD	30 IN.	\$ 553	\$ 470	
UN36/SQUARE/R2/ADJ/RD	36 IN.	\$ 601	\$ 511	
UN42/SQUARE/R2/ADJ/RD	42 IN.	\$ 664	\$ 565	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



A height-adjustable table that *grows with every grade.*

Rectangle *Table*

2 INCH RADIUS CORNERS

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN3020/RECT/R2/ADJ/RD	30 x 20 IN.	\$ 517	\$ 440	
UN3620/RECT/R2/ADJ/RD	36 x 20 IN.	\$ 530	\$ 451	
UN4220/RECT/R2/ADJ/RD	42 x 20 IN.	\$ 549	\$ 466	
UN4820/RECT/R2/ADJ/RD	48 x 20 IN.	\$ 561	\$ 477	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



A height-adjustable table that *grows with every grade.*

Trapezoid Table

2 INCH RADIUS CORNERS

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN4220/TRA/ADJ/RD	42 x 20 IN.	\$ 633	\$ 538	
UN4820/TRA/ADJ/RD	48 x 20 IN.	\$ 651	\$ 554	

SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



BLACK

SILVER

CASTOR

GLIDE

A height-adjustable table that *grows with every grade.*

Pente Table

2 INCH RADIUS CORNERS

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN30/PENT/ADJ/RD	30 IN.	\$ 549	\$ 466	
UN36/PENT/ADJ/RD	36 IN.	\$ 597	\$ 508	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



A height-adjustable table that *grows with every grade.*

Donut Table

2 INCH RADIUS CORNERS

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN7236/DON/ADJ/RD	72 x 36 IN.	\$ 990	\$ 842	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



BLACK

SILVER

CASTOR

GLIDE

A height-adjustable table that *grows with every grade.*

Horse Shoe Table

2 INCH RADIUS CORNERS

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN7260/HORSE/ADJ/RD	72 x 60 IN.	\$ 1,516	\$ 1,288	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



BLACK SILVER CASTOR GLIDE

A height-adjustable table that *grows with every grade.*

Wavy Table

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN4824/WAVY/ADJ/RD	48 x 24 IN.	\$ 651	\$ 554	
UN5424/WAVY/ADJ/RD	54 x 24 IN.	\$ 669	\$ 568	
UN6024/WAVY/ADJ/RD	60 x 24 IN.	\$ 687	\$ 584	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



BLACK SILVER CASTOR GLIDE

A height-adjustable table that *grows with every grade.*

Flag Table

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN4824/FLAG/ADJ/RD	48 x 24 IN.	\$ 651	\$ 554	
UN5424/FLAG/ADJ/RD	54 x 24 IN.	\$ 669	\$ 568	
UN6024/FLAG/ADJ/RD	60 x 24 IN.	\$ 687	\$ 584	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



BLACK SILVER CASTOR GLIDE

A height-adjustable table that *grows with every grade.*

Flow Table

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN3024/FLOW/ADJ/RD	30 x 24 IN.	\$ 597	\$ 508	
UN3624/FLOW/ADJ/RD	36 x 24 IN.	\$ 616	\$ 523	
UN4224/FLOW/ADJ/RD	42 x 24 IN.	\$ 633	\$ 538	
UN4824/FLOW/ADJ/RD	48 x 24 IN.	\$ 651	\$ 554	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



BLACK SILVER CASTOR GLIDE

A height-adjustable table that *grows with every grade.*

Clove Table

22 - 35 in.

INCHES OF ADJUSTMENT · 1 INCH AT A TIME

One table that follows the learner; from kindergarten to college, sitting to standing.



MODEL	SIZE	LIST 1-10	LIST 11-25	LIST 26+
UN42/CLOVE/ADJ/RD	42 IN.	\$ 843	\$ 716	
UN48/CLOVE/ADJ/RD	48 IN.	\$ 910	\$ 774	


SPECIFICATION

- SURFACE & EDGE**
 Durable 1 inch or 1½ inch smooth laminate top with a matching or contrasting impact-resistant edge.
- STEEL BASE**
 Heavy-duty steel base in silver or black, with a non-marring chrome inner telescoping tube.
- CASTER & GLIDE**
 Four adjustable glides and casters included; stable when planted, mobile when needed.
- LIFT ADJUSTABILITY**
 Height adjusts 22 to 35 inch in 1 inch manual increments. 100 lb weight capacity.

AT A GLANCE

22-35 in.	1 in.	100 lb	37
HEIGHT RANGE	INCREMENT	CAPACITY	FINISHES

CONFIGURATIONS



BASE & FEET OPTIONS



BLACK


SILVER

CASTOR

GLIDE

LEG | SPECIFICATION

- Bolted metal to metal surface connections
 - 2 inch diameter
 - 14 gauge steel
- Weilded construction 4.5 x 4.5 inch connection plate



ACCESSORY | OPTIONS

- Hanging under desk storage basket
- 2.5 inch grommets in either white or black
 - Power & data
 - Wire management
 - Modesty panels
 - Privacy screens
- Table connector

ENVIRONMENTAL FACTS

- All Panels are NOUAF, CARB Phase 2 Compliant
- Potential LEED Credits:
 - 4 | Recycled Content
 - 5 | Regional Materials
 - 7 | FSC Certified Wood

37 STANDARD LAMINATES AVAILABLE

- Matching or contrasting colour edge
- Impact, scratches, impact, stains, resistant work surface
- Square or rounded corners
- Edge: 3 mm
- HPL surfaces available on quantity

CONTACT INFORMATION

- **INQUIRES** | info@iofonline.com
- **ADDRESS** | 1710 Bonhill Road, Mississauga, ON L5T 1C8
- **PHONE** | 905.672.0942